

Bushra Fatima

Computer and Information Sciences

Internet Application Development

LAB Number: 04

Question Number: 01

Default.aspx

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Default.aspx.vb"
Inherits="_Default" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head>
```

```
    <title>Customer Records</title>
```

```
</head>
```

```
<body>
```

```
    <form id="form1" runat="server">
```

```
        <h2>Data Of First 5 Customers</h2>
```

```
        <asp:GridView ID="GridView1" runat="server" AutoGenerateColumns="True" />
```

```
    </form>
```

```
</body>
```

```
</html>
```

Default.aspx.vb

Imports System.Data

Imports System.Data.SqlClient

Partial Class _Default

Inherits System.Web.UI.Page

Protected Sub Page_Load(ByVal sender As Object, ByVal e As System.EventArgs) Handles Me.Load

 If Not IsPostBack Then

 LoadCustomers()

 End If

End Sub

Private Sub LoadCustomers()

 Dim connectionString As String = "Data Source=DESKTOP-64KUI2K;Initial Catalog=Inventory_Management;Integrated Security=True"

 Using conn As New SqlConnection(connectionString)

 Dim query As String = "SELECT TOP 5 * FROM Customer"

 Dim da As New SqlDataAdapter(query, conn)

 Dim dt As New DataTable()

 da.Fill(dt)

```
GridView1.DataSource = dt
```

```
GridView1.DataBind()
```

```
End Using
```

```
End Sub
```

```
End Class
```